ECO **GBS 83**

Product information



■ SYSTEM TECHNOLOGY FOR THE DOOR








Product characteristics		
Lock type	PZ-72	■
Backset	65	■
Panic function	B	■
Face plate	Steel zinc-plated	■
Face plate width	24	■
Hub	9 mm	■
Suitable for the use on fire- and smoke control doors	F	■
Tested acc. EN / DIN	EN 179 EN 1125 DIN 18 250	
DIN left / DIN right useable		■

■ Yes - No ◘ On request



Dimensioning: GBS 83

Description

- Mortise lock for fire proof doors
- Suitable for fire- and emergency exit doors
- Tested and certified acc. to **DIN 18250**
- Tested and certified acc. to **EN 179 and EN 1125**
- Made completely of fire-resistant materials

On request individual plate stamping possible at extra charge.



EN 179
EN 1125
F

Panic function B (Key-operated spring bolt change)

PZ-72	Face plate	Backset	Article number
Unrebated door Face plate: 24 x 235 mm	round	65	2083aYes02m13000

ECO Schulte GmbH & Co. KG
Iserlohner Landstraße 89
D-58706 Menden

Telefon: +49 2373/92 76-0
Fax: +49 2373/92 76-40

info@eco-schulte.de
www.eco-schulte.de

© ECO Schulte GmbH & Co. KG - Änderungen vorbehalten
© ECO Schulte GmbH & Co. KG - Subject to change